

**NORTH CAROLINA BREAST & CERVICAL CANCER CONTROL PROGRAM  
(NC BCCCP)  
CERVICAL CANCER SCREENING POLICY  
Effective February 18, 2019**

**INTRODUCTION:**

Cervical cancer incidence and mortality is low, but it remains a problem in the U.S. Between 2010 and 2014, the incidence rate was 7.5 per 100,000. The mortality rate was 2.3 per 100,000 (CDC State Cancer Profiles). ACS projects an estimated 13,170 new cases in the U.S. for 2019 (ACS Cancer Facts & Figures 2019). The North Carolina Central Cancer Registry estimates 409 cases and 128 deaths in NC for 2019. Incidence and mortality for African American women remains higher than for white women. Early detection leads to nearly 100% survival with timely and adequate treatment.

In August 2018, new joint screening guidelines were released by three major organizations:

- United States Preventive Services Task Force (USPTF)
- American Cancer Society (ACS)
- American College of Obstetricians and Gynecologist (ACOG)

The National Breast and Cervical Cancer Early Detection Program (NBCCEDP) adopted the new guidelines on August 24, 2018.

This policy for the North Carolina Breast and Cervical Cancer Control Program (NC BCCCP) repeats NBCCEDP guidance.

**ELIGIBLE WOMEN:**

NC BCCCP reimburses for cervical cancer screening and diagnostic services provided to women between the ages of 21 and 64 years of age, who are at or below 250% of the current federal poverty level and have no other source of health care reimbursement such as medical insurance.

- Women between the ages of 21 and 64 may be screened using state or federal BCCCP dollars. The priority population includes women who have never been screened (defined by CDC as not screened in 10 years or more). Recruitment efforts should be concentrated on the priority population.
- Women covered by Medicare-Part B and/or Medicaid are not eligible to enroll in the NC BCCCP. Women covered by Title X (Family Planning) are not eligible to have cervical cytology reimbursed using NC BCCCP funds.
- Eligible women may enroll in NC BCCCP for diagnostic work-up of abnormal screening done outside of the program.

## **NC BCCCP CERVICAL SCREENING SERVICES PRIORITIES:**

### ***Increasing Screening for NC BCCCP-Eligible Women Who Have Never Been Screened:***

At least 20% of all NC BCCCP cervical screening tests must be for women who have not been screened for at least 10 years.

### ***Cervical Cancer Screening for Average-Risk Women Age 21 to 64:***

For average-risk women ages 21 to 29 years, NC BCCCP will cover cervical cytology alone every three years.

For average-risk women ages 30 to 64 years, NC BCCCP funds will cover **one** of these:

- Cervical cytology alone every 3 years
- Human papillomavirus (HPV) test alone every 5 years
- Co-testing with the combination of cervical cytology and HPV testing every 5 years

Women should discuss with their clinician which strategy is right for them.

Screening for women younger than 21 years is not covered.

### ***Cervical Cancer Screening for High-Risk Women Age 21 to 64:***

Women who are at high risk for cervical cancer need to be screened more often.

NBCCEDP defines high risk as those who have or had:

- HIV infection
- Organ transplantation
- Another condition that cause them to be immunocompromised
- In-utero exposure to DES
- A history of cervical cancer or pre-cancer

For high-risk women ages 21 to 29 years, NC BCCCP will cover cervical cytology alone every year.

For high-risk women ages 30 to 64 years, NC BCCCP funds will cover **one** of these:

- Cervical cytology alone every year
- Co-testing with the combination of cervical cytology and HPV testing every 3 years

NC BCCCP does not cover cervical cancer screening for women under age 21.

### ***Cervical Cancer Screening for Women Over 64 Years of Age:***

Cervical cancer screening is not recommended for women once they reach age 65 if they have had adequate screening and are not at high risk. NC BCCCP eligibility continues only through age 64 for most women.

At age 65 most women are eligible for Medicare, which covers extended screening for certain high-risk women. If an eligible woman over 64 is not enrolled in Medicare, she should be encouraged to enroll. Women enrolled in Medicare Part B are not eligible for NC BCCCP clinical services.

Women who are not eligible for Medicare Part B or who cannot afford the premium may receive NC BCCCP services if they are income eligible.

***Cervical Cancer Screening Following Hysterectomy or Other Treatment for Cervical Neoplasia or Cancer:***

NC BCCCP does not cover cervical cancer screening after total hysterectomy unless it was for cervical cancer or pre-cancer.

NC BCCCP may serve woman who remain eligible after cervical cancer treatment is done and she has returned to routine screening.

A woman with a *history of cervical neoplasia or in situ disease* may have one of these for 20 years after treatment, even if it extends past age 65:

- Cervical cytology alone every year
- Co-testing with the combination of cervical cytology and HPV testing every 3 years

A woman with a *history of invasive cervical cancer* may have one of these indefinitely as long as she is in good health

- Cervical cytology alone every year
- Co-testing with the combination of cervical cytology and HPV testing every 3 years

A woman with total hysterectomy for *unknown reasons* may be screened until there is a 10-year history of negative screening results.

If it is *unknown if the cervix was removed*, NC BCCCP can cover a one-time exam to determine if the cervix is present. NC BCCCP does not cover additional pelvic exams in the absence of cervical cytology.

Women with a *supracervical hysterectomy* remain eligible for NC BCCCP cervical cancer screening.

**MANAGING WOMEN WITH ABNORMAL CERVICAL CANCER SCREENING RESULTS:**

The standard of care for management of women with abnormal cervical cancer screening results is found in:

*The Cervical Screening Manual: A Guide for Health Departments and Providers*  
(December 2018)

Covered diagnostic services for follow-up of an abnormal cervical cancer screening test include:

- Colposcopy
- Colposcopy-directed biopsy
- Endocervical curettage
- Certain pre-approved procedures in unusual cases

Diagnostic excisional procedures **must be pre-approved** by a NC BCCCP nurse consultant. These include

- LEEP
- Cold-knife excisions
- Endometrial biopsies
- Pathology associated with diagnostic procedures

#### **REIMBURSEMENT OF HPV DNA TESTING:**

High-risk HPV DNA testing is allowed for co-testing, primary HPV testing, and triage of ASC-US cervical cytology results. Providers should specify the high-risk HPV DNA panel. Reimbursement for a low-risk HPV DNA panel is not permitted.

#### **REIMBURSEMENT OF OTHER SERVICES:**

**NC BCCCP may not pay for any treatment services.**

NC BCCCP funds may not pay for diagnostic services not included on the NC BCCCP services fee schedule *unless pre-approved*.

NC BCCCP may only pay for repeat cervical screening with colposcopy *if it has been more than four months* since the initial screening.

Date revised June 28, 2019

Approved by:



NC BCCCP Medical Advisor

NC BCCCP Program Director

---

ACOG (2018). *Leading Women's Health Care Groups Issue Joint Statement on USPSTF Final Cervical Cancer Screening Recommendations*. <http://m.acog.org> August 21, 2018.

ACOG (2016). *The American College of Obstetricians and Gynecologist Practice Bulletin Number 267*. Gynecologic Care for Women and Adolescents with Human Immunodeficiency Virus. <https://www.ncbi.nlm.nih.gov/pubmed/27661659>. August 21, 2018.

American Cancer Society, "Estimated Number of New Cancer Cases and Deaths by Sex, US, 2019." American Cancer Society, 2019 Web. 18 Feb 2019. <<http://www.cancer.org/acs/groups/content/@epidemiologysurveillance/documents>>.

Centers for Disease Control and Prevention (2018). National Breast and Cervical Cancer Early Detection Program Manual. DP17-1701 Cancer Prevention and Control Programs for State, Territorial and Tribal Organizations, CDC National Center for Disease Prevention and Health Promotion, Division of Cancer Prevention and Control, Program Services Branch.

NC DHHS Division of Public Health, (2018). *The Cervical Screening Manual: A Guide for Health Departments and Providers*, December 2018 edition.

North Carolina State Centers for Health Statistics, NC DHHS (2019). Projected New Cancer Cases and Deaths for 2019 Produced by the North Carolina Central Cancer Registry 12/2018. Retrieved on February 18, 2019 from <https://schs.dph.ncdhhs.gov/data/cancer/projections.htm>

The United States Preventive Services Task Force: Affiliations of The US Preventive Services Task Force (USPSTF) Curry, Krist, Palo Alto, Owens, Barry, Caughey, Davidson, Doubeni, Epling, Kemper, Kubik, Landefeld, Mangione, Phipps, Silverstein, Simon, Tseng, Tseng and Wong (2018). *Screening for Cervical Cancer: US Preventive Services Task Force Recommendation Statement. Journal of the American Medical Association*, 320(7): 674- 686.